



Wall Mounting Cabinets

Series FLEET

TECHNICAL FEATURES

- **RESISTANCE** Alkali, oils, salts, etc.
- **OPERATING TEMPERATURE** -35°C / +65°C
- **MATERIAL** ABS
- **MOUNTING PLATE** Galvanised steel 1mm
- **PROTECTION DEGREE** IP65
- **IMPACT RESISTANCE** IK08
- **COLOUR** RAL7035 light grey
- **SET CONSISTING OF**
 - base,
 - door with rubber gasket,
 - mounting plate (sheet steel, galvanised),
 - 4 wall mounting brackets,
 - triangle locking key,
 - mounting screws
- **APPROVAL** 

SECURITY LOCK (optional, order separately)

- Suitable for all housings of the Fleet series
- Security lock with handle and two keys


Article No.:
BXPPLOCK



- **SET CONSISTING OF**
 - 1x security lock with handle
 - 2x keys



DIMENSIONS - Grey Door



MODEL	OUTER L x W x H (mm)	INNER L x W x H (mm)	WEIGHT (kg)
BXPPABSG200300130-F01	300 x 200 x 130	255 x 150 x 115	1,7
BXPPABSG250350150-F01	350 x 250 x 150	305 x 200 x 135	2,2
BXPPABSG300400170-F01	400 x 300 x 170	355 x 250 x 155	3,0
BXPPABSG300400220-F01	400 x 300 x 220	355 x 250 x 205	3,4
BXPPABSG350500190-F01	500 x 350 x 190	455 x 300 x 175	4,3
BXPPABSG400500175-F01	500 x 400 x 175	455 x 350 x 160	4,3
BXPPABSG400500240-F01	500 x 400 x 240	455 x 350 x 225	5,6
BXPPABSG400600200-F01	600 x 400 x 200	550 x 350 x 185	6,0
BXPPABSG500700250-F01	700 x 500 x 250	655 x 450 x 235	10,1

TECHNICAL FEATURES

- **RESISTANCE** Alkali, oils, salts, etc.
- **OPERATING TEMPERATURE** -35°C / +65°C
- **MATERIAL** ABS, Polycarbonate (Door)
- **MOUNTING PLATE** Galvanised steel 1mm
- **PROTECTION DEGREE** IP65
- **IMPACT RESISTANCE** IK08
- **COLOUR** RAL7035 light grey, transparent door
- **SET CONSISTING OF**
 - base,
 - door with rubber gasket,
 - mounting plate (sheet steel, galvanised),
 - 4 wall mounting brackets,
 - triangle locking key,
 - mounting screws
- **APPROVAL**



SECURITY LOCK (optional, order separately)

- Suitable for all housings of the Fleet series
- Security lock with handle and two keys


Article No.:
BXPPLOCK



- **SET CONSISTING OF**
 - 1x security lock with handle
 - 2x keys



DIMENSIONS - Transparent Door



MODEL	OUTER L x W x H (mm)	INNER L x W x H (mm)	WEIGHT (kg)
BXPPABST200300130-F01	300 x 200 x 130	255 x 150 x 115	1,7
BXPPABST250350150-F01	350 x 250 x 150	305 x 200 x 135	2,2
BXPPABST300400170-F01	400 x 300 x 170	355 x 250 x 155	3,0
BXPPABST300400220-F01	400 x 300 x 220	355 x 250 x 205	3,4
BXPPABST350500190-F01	500 x 350 x 190	455 x 300 x 175	4,3
BXPPABST400500175-F01	500 x 400 x 175	455 x 350 x 160	4,3
BXPPABST400500240-F01	500 x 400 x 240	455 x 350 x 225	5,6
BXPPABST400600200-F01	600 x 400 x 200	550 x 350 x 185	6,0
BXPPABST500700250-F01	700 x 500 x 250	655 x 450 x 235	10,1



Breuell Ingenieurbüro GmbH

📍 Grützmlhlenweg 46 - D-22339 Hamburg

☎ +49 (0)40-538092-255 📠 +49 (0)40-538092-85

✉ info@boxexpert.de 🌐 www.boxexpert.de



ROKEMONT
KOPFGEHÄUSEN-PP
www.rokemont.de

Realized by lilocrea.fr - 2019