




Wall Mounted Cabinet

Series TREVA-INOX

TECHNICAL FEATURES

- OPERATING TEMPERATURE -25°C ... +40°C
- MATERIAL Stainless steel AISI 304L or AISI 316L
Polyurethane sealing
- PROTECTION DEGREE IP 66
- IMPACT RESISTANCE IK 08/09/10
- COATING Satined Scotch 320

STANDARD ACCESSORY

- Mounting plate
- Cable entry lids
- Mounting screws
- Double bit key


APPROVAL



ACCESSORIES (optional, order separately)

ORDERING INFORMATION

Ordering code detail for Cabinet



Example:
Mounting plate galvanized
for Cabinet BXPINX302015-TE04

>> BXPIPL3020

- Mounting plate galvanized




BXPIPLxxyy

- Mounting plate galvanized, plain



BXPIPLBxxyy

- Mounting plate perforated



BXPIPLUxxyy

- Rain cover



BXPINXTEJyyzz

- Inner door (Stainless Steel)



BXPINXPINxxyy

- Security lock



- Door interlock



- Wall mounting brackets



BXPI48383

BXPI48623

- Mounting base (Stainless Steel)



ARTICLE No.

H x W x D (mm)

FOR CABINET

BXPINXZCLA104020	100 x 400 x 200	BXPINXxx4020-TE**
BXPINXZCLA105025	100 x 500 x 250	BXPINXxx5025-TE**
BXPINXZCLA106020	100 x 600 x 200	BXPINXxx6020-TE**
BXPINXZCLA106025	100 x 600 x 250	BXPINXxx6025-TE**
BXPINXZCLA106030	100 x 600 x 300	BXPINXxx6030-TE**
BXPINXZCLA108030	100 x 800 x 300	BXPINXxx8030-TE**

- Modular frame (Stainless Steel)



ARTICLE No.

NUMBER OF MODULES

FOR CABINET

BXPINXCH3025	2 x 8	BXPINX302515-TE**
BXPINXCH4030	3 x 11	BXPINX403020-TE**
BXPINXCH5040	3 x 16	BXPINX504020-TE**
BXPINXCH6040	4 x 16	BXPINX604020-TE**
BXPINXCH6060	4 x 26	BXPINX606025-TE**
BXPINXCH7050	5 x 22	BXPINX705025-TE**
BXPINXCH8060	4 x 26 - 1 x 24	BXPINX806030-TE**
BXPINXCH8080	5 x 38	BXPINX808030-TE**

DIMENSIONS

L x W x H (mm)	IMPACT RESISTANCE	STAINLESS STEEL AISI 304L	WEIGHT (kg)	STAINLESS STEEL AISI 316L	WEIGHT (kg)
----------------	-------------------	---------------------------	-------------	---------------------------	-------------

Opaque Door

300 x 200 x 150	IK08	BXPINX302015-TE04	3,90	BXPINX302015-TE16	4,45
300 x 250 x 150	IK08	BXPINX302515-TE04	4,50	BXPINX302515-TE16	5,00
300 x 300 x 150	IK08	BXPINX303015-TE04	5,25	BXPINX303015-TE16	5,20
400 x 300 x 200	IK08	BXPINX403020-TE04	7,40	BXPINX403020-TE16	7,10
400 x 400 x 200	IK10	BXPINX404020-TE04	9,35	BXPINX404020-TE16	9,14
400 x 600 x 200	IK10	BXPINX406020-TE04	13,00	BXPINX406020-TE16	13,00
500 x 400 x 200	IK10	BXPINX504020-TE04	10,95	BXPINX504020-TE16	10,00
500 x 400 x 250	IK10	BXPINX504025-TE04	12,25	BXPINX504025-TE16	12,46
600 x 400 x 200	IK10	BXPINX604020-TE04	13,35	BXPINX604020-TE16	14,00
600 x 500 x 250	IK10	BXPINX605025-TE04	17,65	BXPINX605025-TE16	18,00
600 x 600 x 250	IK10	BXPINX606025-TE04	22,70	BXPINX606025-TE16	23,00
700 x 500 x 250	IK10	BXPINX705025-TE04	23,50	BXPINX705025-TE16	23,00
800 x 600 x 300	IK10	BXPINX806030-TE04	31,55	BXPINX806030-TE16	31,35
800 x 800 x 300	IK10	BXPINX808030-TE04	39,20	BXPINX808030-TE16	40,00
1000 x 800 x 300	IK10	BXPINX1008030-TE04	48,00	BXPINX1008030-TE16	51,00

Transparent Door

400 x 300 x 200	IK08	BXPINXT403020-TE04	6,81	BXPINXT403020-TE16	6,81
400 x 400 x 200	IK09	BXPINXT404020-TE04	9,60	BXPINXT404020-TE16	9,60
400 x 600 x 200	IK09	BXPINXT406020-TE04	13,00	BXPINXT406020-TE16	13,00
500 x 400 x 200	IK09	BXPINXT504020-TE04	11,35	BXPINXT504020-TE16	11,35
500 x 400 x 250	IK09	BXPINXT504025-TE04	12,56	BXPINXT504025-TE16	12,56
600 x 400 x 200	IK09	BXPINXT604020-TE04	13,68	BXPINXT604020-TE16	13,68
600 x 500 x 250	IK09	BXPINXT605025-TE04	17,81	BXPINXT605025-TE16	17,81
600 x 600 x 250	IK09	BXPINXT606025-TE04	23,20	BXPINXT606025-TE16	23,20
700 x 500 x 250	IK09	BXPINXT705025-TE04	21,75	BXPINXT705025-TE16	21,75
800 x 600 x 300	IK09	BXPINXT806030-TE04	31,10	BXPINXT806030-TE16	31,10
800 x 800 x 300	IK09	BXPINXT808030-TE04	38,35	BXPINXT808030-TE16	38,35
1000 x 800 x 300	IK09	BXPINXT1008030-TE04	51,35	BXPINXT1008030-TE16	51,35



Breuell Ingenieurbüro GmbH

📍 Grützmlhlenweg 46 - 22339 Hamburg

☎ (+49) 040-538092-255

✉ info@boxexpert.de

☎ (+49) 040-538092-85

🌐 www.boxexpert.de

