



# Wall Mounted Cabinet

Series PERLE PC


## TECHNICAL FEATURES

- OPERATING TEMPERATURE
- MATERIAL
- PROTECTION DEGREE
- IMPACT RESISTANCE

-40°C ... +80°C  
Polycarbonate  
IP 66  
IK 10

- COLOUR
- STANDARD ACCESSORY
- APPROVAL

RAL 7035  
Mounting screws



## ACCESSORIES (optional, order separately)

- Security lock




- Wall bracket (x 4)



- Plastic wall bracket (x 4)



- Mounting plate



- Housing door



- Corner profile



- Pole mounting set steel



- Din Rail Set



## DIMENSIONS - Grey Door

| MODEL               | L x W x H (mm)  | WEIGHT (kg) | MODEL               | L x W x H (mm)  | WEIGHT (kg) |
|---------------------|-----------------|-------------|---------------------|-----------------|-------------|
| BXPFAG300200150-P01 | 300 x 200 x 150 | 2,4         | BXPFAG200300150-P01 | 200 x 300 x 150 | 2,4         |
| BXPFAG400300150-P01 | 400 x 300 x 150 | 4,2         | BXPFAG300400150-P01 | 300 x 400 x 150 | 4,2         |
| BXPFAG400300210-P01 | 400 x 300 x 210 | 4,8         | BXPFAG300400210-P01 | 300 x 400 x 210 | 4,8         |
| BXPFAG500400210-P01 | 500 x 400 x 210 | 7,1         | BXPFAG400500210-P01 | 400 x 500 x 210 | 7,1         |
| BXPFAG600400210-P01 | 600 x 400 x 210 | 8,4         | BXPFAG400600210-P01 | 400 x 600 x 210 | 8,4         |
| BXPFAG700500300-P01 | 700 x 500 x 300 | 14,4        | BXPFAG500700300-P01 | 500 x 700 x 300 | 14,4        |
| BXPFAG800600300-P01 | 800 x 600 x 300 | 18,9        | BXPFAG600800300-P01 | 600 x 800 x 300 | 18,9        |

## TECHNICAL FEATURES

- OPERATING TEMPERATURE
- MATERIAL
- PROTECTION DEGREE
- IMPACT RESISTANCE

-40°C ... +80°C  
Polycarbonate  
IP 66  
IK 10

- COLOUR
- STANDARD ACCESSORY
- APPROVAL

RAL 7035  
Mounting screws



## ACCESSORIES (optional, order separately)

- Security lock




- Wall bracket (x 4)



- Plastic wall bracket (x 4)



- Mounting plate



- Housing door




- Corner profile



- Pole mounting set steel



- Din Rail Set



## DIMENSIONS - Transparent Door

| MODEL               | L x W x H (mm)  | WEIGHT (kg) | MODEL               | L x W x H (mm)  | WEIGHT (kg) |
|---------------------|-----------------|-------------|---------------------|-----------------|-------------|
| BXPFAT300200150-P01 | 300 x 200 x 150 | 2,4         | BXPFAT200300150-P01 | 200 x 300 x 150 | 2,4         |
| BXPFAT400300150-P01 | 400 x 300 x 150 | 4,2         | BXPFAT300400150-P01 | 300 x 400 x 150 | 4,2         |
| BXPFAT400300210-P01 | 400 x 300 x 210 | 4,8         | BXPFAT300400210-P01 | 300 x 400 x 210 | 4,8         |
| BXPFAT500400210-P01 | 500 x 400 x 210 | 7,1         | BXPFAT400500210-P01 | 400 x 500 x 210 | 7,1         |
| BXPFAT600400210-P01 | 600 x 400 x 210 | 8,4         | BXPFAT400600210-P01 | 400 x 600 x 210 | 8,4         |
| BXPFAT700500300-P01 | 700 x 500 x 300 | 14,4        | BXPFAT500700300-P01 | 500 x 700 x 300 | 14,4        |
| BXPFAT800600300-P01 | 800 x 600 x 300 | 18,9        | BXPFAT600800300-P01 | 600 x 800 x 300 | 18,9        |



Breuell Ingenieurbüro GmbH

📍 Grützmühlenweg 46 - 22339 Hamburg

☎ (+49) 040-538092-255

✉ info@boxexpert.de

📞 (+49) 040-538092-85

🌐 www.boxexpert.de

